UNITED STATES OF AMERICA

DRAFT PROPOSALS FOR THE WORK OF THE CONFERENCE

Agenda Item 1.6.2: to consider possible additional primary allocations, to the fixed-satellite service (Earth-to-space) of 250 MHz in Region 2 and 300 MHz in Region 3 within the range 13-17 GHz; and review the regulatory provisions on the current allocations to the fixed-satellite service within each range, taking into account the results of ITU-R studies, in accordance with Resolutions 152 (WRC-12)

Background Information: The 13.25-13.4 GHz frequency band has allocations to the Earth exploration-satellite service (active), the aeronautical radionavigation service and the space research service (active) on a primary basis in all three ITU regions subject to Radio Regulation Nos. **5.497**, **5.498A**, and **5.499**.

The 13.4-13.75 GHz frequency band has allocations to the Earth exploration-satellite service (active), the radiolocation service and the space research service (active) on a primary basis in all three ITU regions. RR No. **5.501A** indicates that the use of the band 13.4-13.75 GHz by the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. RR Nos. **5.499**, **5.500**, **5.501**, and **5.501B** apply.

ITU-R sharing studies demonstrate that the proposed fixed-satellite service (FSS) (Earth-to-space) links in the 13.25-13.75 GHz bands will interfere with existing authorized services in the bands 13.25-13.4 GHz and 13.4-13.75 GHz. The sharing studies' results show that EESS (active) altimeter measurements of lakes, reservoirs, and coastal areas will be lost over a large area of the Earth spanning over all three ITU regions. Mitigation techniques sufficient to protect the EESS (active) altimeters operating in the current allocations may impose severe if not impractical restrictions on new FSS systems that might operate in this band.

The 14.5-15.35 GHz frequency range has allocations to the fixed and mobile radio services on a primary basis in all three ITU Regions. The 14.5-14.8 GHz frequency band also has an allocation to the fixed-satellite service on a primary basis in all three ITU Regions subject to Radio Regulation No. **5.510**. No. **5.510** limits FSS use to feeder links for the broadcasting satellite service outside Europe, which are subject to the Appendix **30A** Broadcast Satellite Plan and associated procedures. The space research service has an allocation on a secondary basis in the frequency band 14.5-15.35 GHz in all three regions. Aeronautical mobile data links currently operate in the 14.5-15.35 GHz band under the mobile service (MS) allocation, the parent service to aeronautical mobile service (AMS).

The 15.4-17.0 GHz band is allocated to the radiolocation service (RLS) on a primary basis in all three Regions and the 15.4-15.7 GHz band is also allocated to the aeronautical radionavigation service on a primary basis in all three Regions. Some Administrations will operate synthetic aperture radars worldwide as part of the global RLS allocation in the band 15.4-17 GHz. Some Administrations also operate an airport surface detection system on a co-primary basis with the primary RLS in the band 15.7-16.2 GHz.

ITU-R sharing studies demonstrate that the proposed FSS (Earth-to-space) links in the 13.0-17.0 GHz bands will interfere with existing services in the bands 14.5-15.35 GHz and 15.4-17.0 GHz. The sharing studies' results show that in order to protect the AMS receivers operating in the band 14.5-15.35 GHz, a separation distance of up to 577 km (not accounting for terrain obstruction) is required. The studies also show that in order to protect radiolocation stations operating in the

band 15.4-17.0 GHz, a separation distance of up to 420 km (not accounting for terrain obstruction) is required. Given the large, required separation distances around AMS and RLS receivers' operational areas, and the mobile nature of AMS receiver/RLS airborne receiver, the ubiquitous deployment of FSS transmitters would make mitigation and coordination approaches to permit sharing with the FSS very difficult or impractical. In addition, ITU-R studies have yet to demonstrate how FSS space station receivers in the geostationary satellite orbit could mitigate unacceptable levels of interference from existing operations in these bands.

Proposal:

ARTICLE 5

Frequency allocations

Section IV – Table of Frequency Allocations

(See No. 2.1)

<u>NOC</u> USA/1.6.2/1

11.7-14 GHz

Allocation to services				
Region 1	Region 2	Region 3		
13.25-13.4 EARTH EXPLORATION-SATELLITE (active)				
AERONAUTICAL RADIONAVIGATION 5.497				
	SPACE RESEARCH (active)			
	5.498A 5.499			

Reasons: ITU-R studies indicate a potential for interference into existing EESS (active) systems.

<u>NOC</u> USA/1.6.2/2

Allocation to services					
Region 1	Region 2	Region 3			
13.4-13.75	EARTH EXPLORATION-SATELLITE (active)				
	RADIOLOCATION				
	SPACE RESEARCH 5.501A				
	Standard frequency and time signal-satellite (Earth-to-space)				
	5.499 5.500 5.501 5.501B				

11.7-14 GHz

Reasons: ITU-R studies indicate a potential for interference into existing EESS (active) systems.

<u>NOC</u> USA/1.6.2/3

14-15.4 GHz

Allocation to services				
Region 1	Region 2	Region 3		
14.5-14.8	FIXED			
	FIXED-SATELLITE (Earth-to-space) 5.510			
	MOBILE			
	Space research			
14.8-15.35	FIXED			
	MOBILE			
	Space research			
	5.339			

Reasons: ITU-R studies indicate a potential for interference into existing MS and AMS systems.

<u>NOC</u> USA/1.6.2/4

15.4-18.4 GHz

Allocation to services				
Region 1	Region 2	Region 3		
15.4-15.43	RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION			
	5.511D			
15.43-15.63	FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION			
	5.511C			
15.63-15.7	RADIOLOCATION 5.511E 5.511F			
	AERONAUTICAL RADIONAVIGATION			
	5.511D			
15.7-16.6	RADIOLOCATION			
	5.512 5.513			
16.6-17.1	RADIOLOCATION			
	Space research (deep space) (Earth-to-space)			
	5.512 5.513			

Reasons: ITU-R studies indicate a potential for interference into existing RLS systems.

RESOLUTION 152 (WRC-12)

Allocations to the fixed-satellite service (Earth-to-space) of 250 MHz in Region 2 and 300 MHz in Region 3 within the range 13-17 GHz.

Reasons: Consequential change to completing the agenda item.