UNITED STATES OF AMERICA DRAFT PROPOSALS FOR THE WORK OF THE CONFERENCE

Agenda Item 10: to recommend to the Council, items for inclusion in the agenda for the next WRC, and to give its views on the preliminary agenda for the subsequent conference and on possible agenda items for future conferences, in accordance with Article 7 of the Convention

Background Information: Since 2000, terrestrial IMT networks have served a crucial role in providing access to businesses and consumers worldwide. According to ITU statistics, "Mobile cellular subscriptions will reach almost 7 billion by end 2014, corresponding to a penetration rate of 96%," including a penetration rate of 90% in developing countries and 121% in developed countries.¹

IMT networks contribute to global economic and social development. IMT systems provide a wide range of multimedia applications, including telemedicine, teleworking, distance learning, and public protection and disaster relief, with even more applications envisioned. IMT systems also help reduce the digital divide between urban and rural areas, including underserved communities.

The growth rate of mobile broadband has been phenomenal. According to ITU statistics, "Mobile broadband remains the fastest growing market segment, with continuous double-digit growth rates in 2014. By end 2014, the number of mobile-broadband subscriptions will reach 2.3 billion globally, almost 5 times as many as just six years earlier (in 2008)."²

In order to meet this growing demand as well as to provide increased capabilities to users, IMT systems have continually incorporated technological improvements, from the first IMT-2000 networks to IMT-Advanced. In early 2012, ITU-R began to develop "IMT for 2020 and beyond," setting the stage for research activities that are emerging around the world. ITU-R studies include Report ITU-R M.2320, which provides information on the technology trends of terrestrial IMT systems considering the time frame 2015-2020 and beyond, [PDN] Report ITU-R M.[IMT.ABOVE 6 GHz], which studies the technical feasibility of IMT in bands above 6 GHz, and [PDN] Recommendation ITU-R M.[IMT.VISION], which describes the framework and overall objectives of the future development of IMT for 2020 and beyond.

Within the scope of the wide ranging development for future mobile broadband, and in addition to the work on-going for IMT in the lower frequency bands, considerable research has been carried out by various organizations on a global scale on the feasibility of terrestrial IMT in spectrum above 6 GHz. The corresponding results presented at various workshops and conferences have been positive towards the feasibility of utilizing higher frequencies for terrestrial IMT and mobile broadband usage. It is expected that usage of higher frequencies will be one of the key enabling components of future IMT as the state of the art in technological developments unlocks the spectrum above 6 GHz. In the U.S., the FCC has already expressed interest in the use of higher frequency bands for mobile broadband services.

Given the growing demand for mobile broadband and the technological advances which will be able to support IMT networks in higher frequency bands, it is essential to ensure the timely availability of additional spectrum in bands above 6 GHz to support the future growth of IMT in the years 2020 and beyond. Therefore, the United States proposes a WRC-19 agenda item to

¹ https://www.itu.int/en/ITU-D/Statistics/Documents/facts/ICTFactsFigures2014-e.pdf, p 3.

² https://www.itu.int/en/ITU-D/Statistics/Documents/facts/ICTFactsFigures2014-e.pdf, p1.

consider the identification of frequency bands for the terrestrial component of IMT in bands above 6 GHz.

Proposal:

MOD USA/10/1

RESOLUTION 808 (WRC-1215)

Agenda for the 201519 World Radiocommunication Conference

The World Radiocommunication Conference (Geneva, 201215),

Reasons: To update Resolution 806 (WRC-12) to include proposals for WRC-19.

ADD USA/10/2

1.[IMT] to consider, in accordance with Resolution **[IMT]** (WRC-2015), spectrum requirements and identification of frequency bands for the terrestrial component of International Mobile Telecommunications (IMT) in the frequency range 27.5-71 GHz taking into account the results of studies;

Reasons: To support the requirement for additional spectrum being identified for the terrestrial component of International Mobile Telecommunications (IMT) to enable nano- and pico-cell IMT operations in high demand, high density locations while ensuring compatibility with existing services.

ADD USA/10/3

RESOLUTION [IMT] (WRC-15)

Consideration of regionally or globally harmonized identification of frequency ranges for the terrestrial component of International Mobile Telecommunications (IMT) in the frequency range 27.5-71 GHz to facilitate the development of mobile broadband applications for nano- and pico-cell operations in high demand, high density locations.

The World Radiocommunication Conference (Geneva, 2015),

Considering

- a) that International Mobile Telecommunications (IMT) systems have been the main method of delivering wide area mobile broadband applications;
- b) that IMT and other mobile broadband systems contribute to global economic and social development by providing a wide range of multimedia applications, such as mobile telemedicine, teleworking, distance learning and other applications;
- c) that in all countries where terrestrial IMT systems are deployed there is a continuing significant growth in the number of users of IMT systems and in the quantity and rate of data carried, the latter being driven to a large extent by audiovisual content;
- d) that IMT and other mobile broadband systems have helped reduce the digital divide between urban and rural areas, including underserved communities;

- *e*) that in many developing markets the main delivery mechanism for broadband access is expected to be through mobile devices;
- f) that adequate and timely availability of spectrum and supporting regulatory provisions is essential to support the future growth of IMT and other mobile broadband systems;
- g) that there is a need to continually take advantage of technological developments in order to increase the efficient use of spectrum and facilitate spectrum access;
- h) that harmonized worldwide bands and harmonized frequency arrangements for IMT and other mobile broadband systems are highly desirable in order to achieve global roaming and the benefits of economies of scale;
- *i*) that there is a need to protect the existing primary services in the frequency range 27.5-71 GHz; and
- j) that there is a need to identify additional regional or global harmonized spectrum for IMT nano- and pico-cell operations to meet increasing demand in high demand, high density locations,

recognizing

- a) that there is a fairly long lead time between the identification of frequency bands by world radiocommunication conferences and the deployment of systems in those bands, and timely availability of spectrum is therefore important to support the development of IMT and other terrestrial mobile broadband applications;
- b) the use of relevant parts of the spectrum by other radiocommunication services, many of which involve significant investment in infrastructure or represent significant societal benefit, and the evolving needs of these services,
- c) that Report ITU-R M.2320 provides information on the technology trends of terrestrial IMT systems considering the time frame 2015-2020 and beyond.
- d) that [PDN] Report ITU-R M.[IMT.ABOVE 6 GHz] studies the technical feasibility of IMT in bands above 6 GHz
- *e*) that [PDN] Recommendation ITU-R M.[IMT.VISION] describes the framework and overall objectives of the future development of IMT for 2020 and beyond.
- f) that unwanted emissions in the bands 31.3-31.5 GHz, 48.94-49.04 GHz, 50.2-50.4 GHz and 52.6-54.25 GHz (see RR No. **5.340**) will need to be limited to ensure protection of systems of the EESS (passive), SRS (passive) and radio astronomy services,

resolves

that WRC-19 consider, based on the results of ITU-R studies in *invites ITU-R* 1, 3, and 4, the possible identification of frequency bands for the terrestrial component of International Mobile Telecommunications (IMT) to enable nano- and pico-cell operations in high demand, high density locations in bands already allocated for mobile service use on a primary basis in specific portions of the spectrum between 27.5-71 GHz, while ensuring compatibility with existing services.

- to invite WRC-19 to consider the results of the above studies and take appropriate action *invites ITU-R*
- 1) to conduct, and complete in time for WRC-19, the appropriate studies to determine the spectrum requirements for the terrestrial component of IMT in specific portions of the spectrum between 27.5-71 GHz already allocated to the mobile service, to support nano- and pico-cell operations of IMT;
- 2) to develop, prior to November 2016, the technical and operational characteristics needed for sharing and compatibility studies to ensure that studies can be completed in time for consideration at WRC-19;
- 3) to conduct sharing and compatibility studies, based on *resolves invite ITU-R* 1 and 2, with a focus on identification of regionally or globally harmonized frequency ranges necessary for IMT within the frequency ranges 27.5 29.5 GHz, 37.5 40.5 GHz, 47.2-50.2 GHz, 50.4 52.6 GHz, and 59.3 66 GHz which are already globally identified for mobile service use on a primary basis;
- 4) to take into account the protection of current and planned use by existing services in the ranges contained in *resolves to invite ITU-R* 3 and to take into account RR No. **5.340** and No. **5.149** when conducting studies in accordance with *resolves to invite ITU-R* 3.

invites administrations

to participate actively in these studies by submitting contributions to ITU-R.

Reasons: To support the requirement for additional spectrum being identified for the terrestrial component of International Mobile Telecommunications (IMT) to enable nano- and pico-cell IMT operations in high demand, high density locations while ensuring compatibility with existing services.

ATTACHMENT

PROPOSAL FOR ADDITIONAL AGENDA ITEM FOR CONSIDERATION OF IDENTIFICATION OF REGIONALLY OR GLOBALLY HARMONIZED FREQUENCY RANGES FOR IMT, IN THE FREQUENCY RANGE 27.5 – 71 GHZ, TAKING INTO ACCOUNT THE RESULTS OF STUDIES

Subject: Proposed Future WRC Agenda Item for WRC-2019 for consideration of identification of frequency bands for the terrestrial component of International Mobile Telecommunications (IMT) in the frequency range 27.5-71 GHz to facilitate the development of mobile broadband applications for nano- and pico-cell operations in high density applications

Origin: United States of America

Proposal: To consider the identification of frequency bands for the terrestrial component of International Mobile Telecommunications (IMT) in the frequency range 27.5-71 GHz to facilitate the development of mobile broadband applications for nano- and pico-cell operations in high density applications

Background/reason:

ITU statistics show that "Mobile broadband remains the fastest growing market segment, with continuous double-digit growth rates in 2014. By end 2014, the number of mobile-broadband subscriptions will reach 2.3 billion globally, almost 5 times as many as just six years earlier (in 2008)." In order to meet this growing demand as well as support new user capabilities, terrestrial IMT networks continue to incorporate technological advances.

In early 2012, ITU-R began to develop "IMT for 2020 and beyond", setting the stage for research activities that are emerging around the world, including support for networks in bands above 6 GHz. Technological advances described in PDN Report [IMT.ABOVE 6 GHz] can facilitate the development and deployment of IMT networks to help meet this growing capacity demands for mobile broadband. Given the growing demand for mobile broadband and the technological advances which will be able to support IMT networks in higher frequency bands, it is essential to ensure the timely availability of spectrum in bands above 6 GHz to support the future growth of IMT in the years 2020 and beyond. There are currently no bands above 6 GHz identified for IMT.

Given the increased demand for IMT in urban areas, there is a need to expand coverage in high demand, high density locations using nano- and pico- cell arrangements to meet the explosive growth of cellular and data use in these areas. This agenda item would consider IMT identification for nano- and pico- cell applications on a regional or global basis in already allocated primary mobile service spectrum in the 27.5 – 29.5 GHz, 37.5 – 40.5 GHz, 47.2 – 50.2 GHz, 50.4 – 52.6 GHz, and 59.3 – 66 GHz frequency ranges, based on the results sharing and compatibility studies.

Radiocommunication services concerned:

Fixed, Fixed Satellite, Inter-Satellite, Mobile, Mobile-Satellite, Earth Exploration Satellite, Space Research, Earth Exploration Satellite (passive), Space Research (passive), Radio Astronomy and Radiolocation

 $^{^3}$ https://www.itu.int/en/ITU-D/Statistics/Documents/facts/ICTFactsFigures2014-e.pdf

Indication of possible difficulties: IMT technical and operational characteristics must be developed in time to complete sharing and compatibility studies. If these studies cannot be completed due to the delay in IMT characteristics, WRC-19 consideration of regulatory action may be deferred to the following conference.

Previous/ongoing studies on the issue: Report ITU-R M.2320 provides information on the technology trends of terrestrial IMT systems in 2015-2020 and beyond. ITU-R Working Party 5D is finalizing studies on [PDN] Report ITU-R M.[IMT.ABOVE 6 GHz], which studies the technical feasibility of IMT in bands above 6 GHz and [PDN] Recommendation ITU-R M.[IMT.VISION], which describes the framework and overall objectives of the future development of IMT for 2020 and beyond.

Studies to be carried out by: SG 5 with the participation of: SG 3, SG 4 and SG 7

ITU-R Study Groups concerned: SG 4, SG 5 and SG 7

ITU resource implications, including financial implications (refer to CV126): This proposed agenda item will be studied within the normal ITU-R procedures and planned budget. As the responsible group on IMT studies, ITU-R WP 5D usually has meetings three times a year, which last 6 days each. Meetings should be held in conjunction with other SG 5 Working Party meetings to the extent practicable.

Common regional proposal: Yes/No Multicountry proposal: Yes/No Number of countries:

Remarks